



The Art of Comfort,  
**Reimagined**

**YA 400** ROUND FLOOR  
STANDING



SLIDE TOUCH CONTROL



DIMMABLE LIGHTS



VLED DISPLAY

# Reimagine the Space

Fits into your space. Truly & Seamlessly.

- Takes up less space
- Fits neatly in corners without trapping dirt
- Frees up room for your furniture



# Reimagine the Speed

Vertical Air Outlet, Larger Airflow Volume, Faster Cooling

**895MM**  
Lengthen Air outlet

**125MM**  
Widen Air outlet

**7200W**  
Strong Cooling Capacity

**1300M<sup>3</sup>/H**  
Surging Airflow Volume

# Reimagine The Sense

Flexibly control the airflow – just the way you need it.

With the patented airflow control technology that caters to your different cooling needs.

## Straight Cool Airflow

Powerful cool air delivering to give you the instant refreshing cooling experience

## Wind Avoid Airflow

Cool down quickly without draughts of cold air flapping your head and face.

## Soften Waving Airflow

Left and right cool air mixed to provide you a gentle and comfortable cooling experience.




# Reimagine the Surrounding

Feel The Immersive Cool from Every Sides of Your Room

**895×125MM**  
Larger Air outlet

**110°**  
Airflow Angles

- Larger air outlet means a broader airflow angle
- Allows the cool air to reach every corner, ensuring an evenly comfortable cooling experience across the room



# Intuitive Slide Touch

Brings Function and Style to Your Home

## Slide Touch Control

Gives you higher comfort in both visual and interactive experience. It enables the quick and precise control you need over different temperature, programs and settings.

## VLED Display

Not only adds a touch of style to the panel, but also makes the digits clearer to read from every angle.

## Dimmable Lights

Match to multiple lighting and design aesthetics of your home



# Reimagine The Flexi

Even cooling, from head to toe!

0 - 100 stepless fan speed regulation, offering meticulous temperature control

Heightened and widened air outlet delivers cool air evenly from head to toe, providing a cooling experience like never before.

# Reimagine The Silence

Cooling that's just hush hush!

An enlarged air outlet delivers stronger airflow more evenly with less components resonance hence cutting the noise.



# Dual-Health Guard

Take A Fresh Breath, Every Time

## Anti-Mildew Protection

Activate the smart self-clean program of the heat exchanger with just one touch, and enjoy clean and fresh air every time, all the time.

## Dust Protection

High density filter together with intelligent dusting switch technology, getting you rid of the dust from the outside.



# MIDEA YA 400

## ROUND FLOOR STANDING



### (SPECIFICATIONS)

MODEL		MFYA400-24ARFN1 QRD0W	
<b>Operational Voltage Range</b>		V	130-270V
<b>Power supply</b>		Ph-V-Hz	220-240V,1Ph,50Hz
<b>Cooling</b>	Capacity	Btu/h	24000(12000~29100)
	Input	W	2340(570~3600)
	Current	A	10.4(2.5~16.0)
	EER	W/W	3.01
<b>Heating</b>	Capacity	Btu/h	26000(9600~33400)
	Input	W	2000(1450~3150)
	Current	A	8.9(6.7~14.0)
	EER	W/W	3.81
<b>Rated Power Input</b>		W	4850
<b>Rated Current</b>		A	20
<b>Indoor unit</b>	Indoor fan motor Input	W	60.0
	Speed(Hi/Mi/Lo)	r/min	1080/950/800
	Indoor air flow (Hi/Mi/Lo)	m <sup>3</sup> /h	990/760/640
	Indoor noise level (Hi/Mi/Lo)	dB(A)	39.5/37.5/34.5
	Dimension(W*D*H)	mm	405x405x1775
	Packing (W*D*H)	mm	2000x510x490
	Net/Gross weight	kg	29.9/38.4
<b>Outdoor unit</b>	Outdoor fan motor Speed	r/min	830/730/550
	Compressor Type / Brand		Twin-ROTARY / GMCC
	Outdoor air flow	m <sup>3</sup> /h	3500
	Outdoor noise level	dB(A)	58.5
	Dimension(W*D*H)	mm	890x342x673
	Packing (W*D*H)	mm	995x398x740
	Net/Gross weight	kg	44.7/47.9
<b>Refrigerant type</b>		kg	R410A/1.95
<b>Design pressure</b>		MPa	4.2/1.5
<b>Refrigerant piping</b>	Liquid side/ Gas side	mm(inch)	6.35mm(1/4in)/12.7mm(1/2in)
	Max. refrigerant pipe length	m	50
	Max. difference in level	m	25
<b>Operation temperature</b>		°C	17~30
<b>Room temperature</b>	Indoor(cooling/ heating)	°C	17~32/0~30
	Outdoor(cooling/heating)	°C	-15~50/-15~24

